> 2190E MSDS NO.

FINEX-33W-LP2

DATE:

2016/5/31

VERSION:

#### SAFETY DATA SHEETS

1. Chemical product and company identification

Chemical Name

Zinc Oxide

Product Name

FINEX-33W-LP2

Company Name Section Name Sakai Chemical Industry Co., Ltd. Development & Technology Section

Advanced Materials Department

Address

110 tajuku, shimogawa, izumimachi, iwaki, fukushima 971-8183 JAPAN

Tel.

0246 (56) 5111 0246 (53) 5223

Fax. Recommended Use

Inorganic UV filter for sun-screens, cosmetics, coatings, plastics etc.

# 2. Hazard identification

GHS Classification1)

Physical hazards: Explosives

Not applicable Flammable gases Flammable aerosols Not applicable Oxidizing gases Not applicable Gases under pressure Not applicable Flammable liquids Not applicable Flammable solids Not classified Self-reactive substances Not applicable Not applicable Pyrophoric liquids Not classified Pyrophoric solids Not classified Self-heating substances

Substances which, in contact with water, emit flammable gases

Not classified Not applicable

Not applicable

Not classified

Not applicable

Not applicable

Oxidizing liquids Oxidizing solids

Classification not possible

Organic peroxides

Classification not possible Corrosive to metals

Health hazards :

Acute toxicity (Oral)

Acute toxicity (Dermal) Classification not possible

Acute toxicity (Gases)

Acute toxicity (Vapors) Classification not possible

Not classified Acute toxicity (Dusts) Acute toxicity (Mists) Not applicable Not classified Skin corrosion/irritation Not classified Serious eye damage/eye irritation

Respiratory sensitization Classification not possible

Skin sensitization Not classified

Classification not possible Germ cell mutagenicity

Not classified Carcinogenicity Category 2 Productive toxicity

Specific target organs systemic toxicity (Single exposure)

Category 1 (Lung, Total body)

Specific target organs systemic toxicity (Repeated exposure)

Classification not possible

Aspiration hazard

Classification not possible

Category 1

Environmental hazards Hazardous to the aquatic environment (acute)

Hazardous to the aquatic environment(long-term) Category 1

Hazardous to the ozone layer

Classification not possible.

PAGE 2/7 2190E

FINEX-33W-LP2

DATE: 2016/5/31

MSDS NO.

Label elements 1)

Labeling or symbol: Health hazard, environmental hazard

Environmentally hazardous substance (class 9)



Signal words:

Danger

Hazard statements :

Causes damage to lung and systemic toxicity Causes serious toxicity to aquatic life.

Causes long lasting serious toxicity to aquatic life.

Precautionary statements:

Prevention

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

Wear appropriate protective equipment.

Do not breathe dust and fume.

Wash hands thoroughly after handling. Avoid release to the environment.

Response

If inhalated or feared inhalation, get medical advice/attention.

Get medical advice/attention if you feel unwell.

Leakage shall be recovered.

Storage

Store container tightly closed in well-ventilated place.

Preferably store locked up.

Disposal

Dispose of contents in accordance with local/regional/national

/international regulation.

# 3. Composition/information on ingredients

Substance or mixture: substance

Substances presenting a health or environmental hazard within the meaning of Directive 67/548/EEC: None

	(main)	(surface)	
Chemical name	Zinc Oxide	Hydrated Silica	Hydrogen Dimethicone
General name	Zinc Oxide	Hydrated Silica	Hydrogen Dimethicone
INCI name	Zinc Oxide	Hydrated Silica	Hydrogen Dimethicone
Formula	Zn0	SiO₂·nH₂O	-(SiO(CH <sub>3)2</sub> ) <sub>m</sub> - (SiO(CH <sub>3</sub> )H) <sub>n</sub> -
Content	84 -94% (as Zn0)	3.0 11% (as SiO <sub>2</sub> )	< 5.0%
CAS No.	1314-13-2	1343-98-2	68037-59-2
EINECS No.	215 222 5	215 683 2	Registered (Polymer)
ELINCS No.			
(*) Risk Phrase	R50, R53	R37	R37
(*) Safety Phrases	\$60, \$61	\$22	S22, S25
(*) Hazard Symbol	N	Xi	Xi

(\*) See 15. Reguratery information.

PAGE 3/7

2190E

FINEX-33W-LP2

DATE:

MSDS NO.

2016/5/31

Hereinafter, described the data about Zinc Oxide as main component.

4. First-aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical advice/attention if you feel unwell.

Skin:

Wash with plenty of soap and water.

If skin irritation occurs, get medical advice/attention,

Eye:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists, get medical advice/attention.

Ingestion:

Rinse mouth.

Get medical advice/attention if you feel unwell.

Expected immediate and delayed symptoms:

Irritation of eyes, skin and/or respiratory,

Cephalgia, chill, boke, vomit, diarrhea, or languor.

Late symptom : metal fume fever

The most important signs and symptoms :

If inhaled fume, it may cause metal fume fever.

#### 5. Fire-fighting measures

Extinguishing media: Not combustible.

Unsuitable extinguishing media :

Use an extinguishing media that is suitable for the materials

involved in the surrounding fire.

Peculiar hazards:

Zinc oxide fume may be released when heated.

Peculiar fire extinguishing method:

Not applicable

Protective equipment: Firefighters should ware a full set of protective clothing,

including a breathing apparatus.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures :

Notify safety personnel.

Ware protective gloves/clothing and eye/face protections.

Avoid contact to skin and eyes. Avoid inhalation of dust and fume.

Environmental precautions:

Be careful not to release to the environment,

Methods for containment and cleaning up :

Scoop up material and all contaminated soil for later disposal.

Not to generate dust.

Prevention of side hazards:

Keep floor clean each time because the substance may causes slip when it gets wet.

PAGE 4/7

MSDS NO. 2190E FINEX-33W-LP2

DATE:

2016/5/31

7. Handling and storage

Handling

Technical measures (Ventilation): Described in "8. Exposure controls/personal protection".

Containers should be protected from physical damage.

Avoid inhalation and ingestion.

Do not get in eyes.

Do not breathe dust and fume.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product.

Storage

Safety Conditions :

Safety container :

Store in a fixed place under less humid atomosphere.

No requirements.

8. Exposure controls/personal protection

Exposure limit:

ACGIH (2005)

OHSA

TLV-TWA

 $2mg/m^3$ 10mg/m<sup>3</sup>

TLV-STEL

PEL-TWA

Respirable dust

 $5mg/m^3$ 

Fume

 $5mg/m^3$ 

Total dusts

 $15 \text{mg/m}^3$ 

Facilities:

Eyewash fountains should be available in work area.

In the case of creating dust, local exhaust ventilation should be provided.

General ventilation should be provided to keep dust concentrations

below the exposure limits.

Personal protective equipment

Respirator:

Wear appropriate respirator.

Hands: Eves:

Wear appropriate gloves. Wear safety glasses with side shields.

Skin:

Wear appropriate protective clothing.

Hygiene :

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

9. Physical and chemical properties

Appearance :

White powder.

Odor :

No data.

pH :

Zinc Oxide is neutral (litmus paper) in condition of water

suspension (1:10). <sup>5)</sup>

However this product is no data because of hydrophobic in water

with influence of hydrogen dimethicone treated.

Melting point/freezing point :

1950 degrees-C  $^{(4)}$ , >1975 degrees-C (under pressure)  $^{(5)}$ 

Boiling range : Flash point :

Stable at 1275 degrees-C  $^{7)}$ , may sublime at low temperature  $^{2).5)}$ 

Incombustibles 4), not applicable 5)

Explosive limits:

Nonexplosive 5)

Vapor pressure :

Not applicable 9) 5. 67 1), 5. 607 (20°C) 9)

Relative density: Solubility:

Insoluble in water 1)

0.00042g/100g water (20 degrees-C) 6, 0.00016g/100cm3 (29 degrees-C) 8)

Insoluble in alcohols 5), soluble in acids 5)

Soluble in dilute acetic acid or inorganic acids or ammonia <sup>2)</sup>

Partition coefficient (n-octanol/water):

No data, 9)

MSDS NO. 2190E

FINEX-33W-LP2

DATE: 2016/5/31

Auto ignition temperature :

Incombustibles 4), not applicable 5)

Decomposition temperature : Evaporation rate (BuAc = 1) : No data. No data.

Flammability (solid, gas) :

Not applicable.

Viscosity:

No data.

# 10. Stability and reactivity

Reactivity:

Zinc oxide does not react in general conditions.

Chemical stability:

Zinc oxide is stable in general conditions.

Soluble in acids and alkalies.

React with sulfer compounds (gas) such as hydrogen sulfide when heated.

Absorbs carbon dioxide from air.

Possibility of hazardous reactions Has exploded when mixed with chlorinated rubber.

Reacts violently with magnesium. linseed oil.

Zinc oxide and magnesium can react explosively when heated.

Conditions to avoid :

Heat incompatibles.

Incompatible materials :

Chlorinated rubber, magnesium, linseed oil.

Hazardous decomposition products : When heated to very high temperatures, zinc oxide sublimes

to produce toxic fumes.

#### 11. Toxicological information

Acute toxicity :

Oral

Rat

LD50

>5000mg/kg  $^{5)}$ 

Inhalation (dust)

Rat

LC

>5.7mg/L /4H <sup>5)</sup>

Skin corrosion/irritation :

Rabbit : not irritating. 5), 6)

Serious eye damage/irritation:

Rabbit: minimal or not irritating. 5)

Respiratory sensitization:

No information.

Skin sensitization :

No affections. 5)

Germ cell mutagenicity:

Suspected of positive (chromosomal aberration test, in vivo),

divided into positive and negative (in vitro).

Carcinogenicity:

EPA : group D (unable to divide into carcinogenicity in humans).

Reproductive toxicity:

There are reports that the administration of zinc oxide via diet affect the unbor

child in rats. But in dam animals, it is undenied that expression of

general toxicity by the same doses zinc oxid.

STOST-single exposure :

Category 1: Inhalation can cause a flu-like illness (metal fume fever). 6)

No respiratory tract irritation. 5)

STOST-repeated exposure :

Classification is not possible due to a data deficiency.

Aspiration hazard:

No information

### 12. Ecological information

Hazardous to the aquatic environment (acute):

Celenastrum 72 hour EC50 >0.17mg/L (ECH221, 2001) (0.21mg/L as Zn0)

Hazardous to the aquatic environment(long-term):

Category 1

Acute toxicity is category 1.

Low biological cumulation (BCF=217), but the behavior of

zinc oxide in water is unknown.

MSDS NO. 2190E

FINEX-33W-LP2

DATE:

2016/5/31

Eco-toxicity:

Crustacean (Daphnids) 48-h LC50=0.098 mg Zn/L

Biodegradability:

No relevant information found.

Bioaccumulation potential:

Low bioaccumulation potential (BCF=217)

Mobility in soil:

No relevant information found,

Hazardous to the ozone layer:

No relevant infomartion found.

#### 13. Disposal considerations

Waste disposal :

Comply with local/regional/national regulations.

Containers :

Containers should be cleaned up, then recycle or dispose of

in accordance with regulations.

#### 14. Transport information

International regulation :

Transporting by sea : dangerous goods

Transporting by air : dangerous goods

Peculiar protection:

Containers should be protected from direct sunlight, fall, shock,

corrosion etc.

Pallets with containers should not be stacked up.

UN Number :

3077

Class:

Proper Shipping Name:

Environmentally hazardous substance (solid)

Packing group:

label:

environmental hazard, Environmentally hazardous substance (class 9)





# 15. Regulatory information

# EU COMMISSION DIRECTIVE 2001/58/EC

Label Name :

Ultrafine Zinc Oxide FINEX-33W-LP2

According to Directives 67/548/EEC

Information To List With Respect To Hazardous Ingredients:

Contains : > 72.0% as Zn0

Hazard Symbols :

N: Dangerous for the environment



Risk Phrases :

R50: Very toxic to aquatic organisms

R53 : May cause long-term adverse effect in the aquatic environment

Safety Phrases:

\$60 : This material and its container must be disporsed of

as hazardous waste

S61: Avoid release to the environment.

Refer to special instruction/safety data sheet

Please refer to any other national measures that may be relevant

TRY Co., LTD PAGE 7/7 MSDS NO. 2190E

FINEX-33W-LP2

E: 2016/5/31

DATE:

# 16. Other information

References

- 1) GHS Classification (2006) "National Institute of Technology and Evaluation"
- 2) HSDB (2005)
- 3) IRIS (2005)
- 4) IGSC (2004)
- 5) EU-RAR 43 (2004)
- 6) ACGIH (2003)
- 7) Gangolli (2nd, 1999)
- 8) Chaoman (2005)
- 9) PATTY (5th, 2001)
- 10) DFGOT vol 18 (2002)

# 17. Caution

- · This information may be amended in the light of newly acquired knowledge and/or test results.
- · The information provided has been prepared on the basis of materials, knowledge, data, etc. which are currently available.
  - However, the information given on the contents, physical properties, and the hazardous or harmful nature of the product cannot be guaranteed.
- · Cautions are given on the handling of the product in normal circumstances.
  - If the product is to be used in a special manner, precautionary measures must be taken appropriate to such usage.
- · Since any chemical product is liable to have unknown harmful effects, very careful handling is always necessary.
  - Users are advised that it is their responsibility to establish safe conditions for handling the product.

